

**GLODALA
s lemljenim pločicama**





FS1	Profilno glodalo «I» grupe profila	4
FS2	Profilno glodalo «II» grupe profila	7
FS3	Profilno glodalo «III» grupe profila	10
F100	Glodalo za izradu utora	13
F110	Glodalo za izradu utora s predrezačima	16
F120	Podesivo glodalo za izradu utora s predrezačima	17
F130	Podesivo glodalo za izradu utora s predrezačima	18
F140	Podesivo glodalo za izradu utora s predrezačima	19
F160	Glodalo za ravnanje	20
F180	Glodalo za izradu poluutora s predrezačima	21
F190	Glodalo za izradu poluutora s predrezačima	22
F200	Višezubno glodalo	23
F210	Glodalo za kosinu	25
F230	Glodalo za izradu četvrt kruga	26
V-135	Radijusno glodalo za skidanje oštih rubova	27
F240	Glodalo za izradu pola kruga	28
F260	Radijusno glodalo	29
F250	Radijusno glodalo	30
V-117	Profilno glodalo	31
F265	Podesivo glodalo-set za skidanje oštih rubova	32
F290	Glodalo za izradu štapova	33
F292	Glodalo za izradu štapova „tipli“	35
F300	Glodalo za spoj	37
F301	Podesivo glodalo za spoj	38
F304	Glodalo za spoj	39
V112-A1	Glodalo za spoj	40
V112-A2	Glodalo za spoj	
F305	Podesivo glodalo za spoj	41
F306	Glodalo za spoj	42
V306	Glodalo za spoj	44
V112-K1	Glodalo za kutni spoj 90°	46
F310	Glodalo za kutni spoj 90°	47
F330	Glodalo za brodski pod	48
F340	Glodalo za oplatu	49
F350	Glodalo za lamperiju	50
V-118	Glodalo za izradu pokrivne letvice	51
V-127	Glodalo za izradu tepison letvice	52
V-113	Glodalo za rukohvat	53
V-119	Profilno glodalo	54
V-120	Profilno glodalo	55
V-140	Profilno glodalo	56
F370	Glodalo za izradu čepova	57
F372	Glodalo za izradu čepova	
F374	Glodalo za izradu čepova	
F378	Glodalo za izradu čepova	
F382	Glodalo za izradu čepova	59
F400	Glodalo za obradu rubova	60
F410	Glodalo za obradu rubova	




F420	Glodalo za obradu rubova	61
F435	Profilno glodalo za obradu rubova	62
F480	Glodalo višeradijusno za obradu rubova	
F218	Glodalo za profil - kontra profil ukladu	63
V-114	Glodalo za profil - kontra profil	64
V-300-A	Glodalo za profil - kontra profil (vrata namještaja)	65
V-302	Višenamjensko glodalo	66
F220	Glodalo za izradu uklada	68
V115	Glodalo za izradu uklada	70
V115R	Glodalo za izradu uklada	71
V-114-D4	Glodalo za profil - kontra profil	72
V-114-133	Glodalo za profil - kontra profil	73
V-114-135	Glodalo za profil - kontra profil	74
V-114-80	Glodalo za profil - kontra profil	75
V-114-UG	Glodalo za profil - kontra profil	76
V-230	Glodalo za zaobljeni dovratnik	77
V-230	Glodalo za utore i poluutore na dovratniku	79
V-231	Glodalo za zaobljeni dovratnik i letvu dovratnika	80
V-133	Glodalo za okov	82
V-131	Pločasto glodalo za utore	
V-132	Glodalo za čepove	83
V200	Prozor 68 mm, euro-falz	84
V200	Prozor 68 mm, euro-falz dvokrilni prozor	85
V200	Prozor 68 mm, euro-falz	86




Izvedba glodala u brzoreznom čeliku (HS) ili tvrdom metalu (HW).

Izrada profila prema nacrtu ili uzorku.




HW Z3

HS




D	S	Cod.	Cijena
120	20	FS13M12020	
120	25	FS13M12025	
120	30	FS13M12030	
120	35	FS13M12035	
120	40	FS13M12040	
120	50	FS13M12050	
120	60	FS13M12060	
120	70	FS13M12070	
120	80	FS13M12080	
120	90	FS13M12090	
120	100	FS13M120100	
160	20	FS13M16020	
160	25	FS13M16025	
160	30	FS13M16030	
160	35	FS13M16035	
160	40	FS13M16040	
160	50	FS13M16050	
160	60	FS13M16060	
160	70	FS13M16070	
160	80	FS13M16080	
160	90	FS13M16090	
160	100	FS13M160100	
200	20	FS13M20020	
200	25	FS13M20025	
200	30	FS13M20030	
200	35	FS13M20035	
200	40	FS13M20040	
200	50	FS13M20050	
200	60	FS13M20060	
200	70	FS13M20070	
200	80	FS13M20080	
200	90	FS13M20090	
200	100	FS13M200100	
Spec. HW		FS13M99*	
Spec. HS		FS13S99*	






Izvedba glodala u brzoreznom čeliku (HS) ili tvrdom metalu (HW).

Izrada profila prema nacrtu ili uzorku.




HW Z4

HS




D	S	Cod.	Cijena
120	20	FS14M12020	
120	25	FS14M12025	
120	30	FS14M12030	
120	35	FS14M12035	
120	40	FS14M12040	
120	50	FS14M12050	
120	60	FS14M12060	
120	70	FS14M12070	
120	80	FS14M12080	
120	90	FS14M12090	
120	100	FS14M120100	
160	20	FS14M16020	
160	25	FS14M16025	
160	30	FS14M16030	
160	35	FS14M16035	
160	40	FS14M16040	
160	50	FS14M16050	
160	60	FS14M16060	
160	70	FS14M16070	
160	80	FS14M16080	
160	90	FS14M16090	
160	100	FS14M160100	
200	20	FS14M20020	
200	25	FS14M20025	
200	30	FS14M20030	
200	35	FS14M20035	
200	40	FS14M20040	
200	50	FS14M20050	
200	60	FS14M20060	
200	70	FS14M20070	
200	80	FS14M20080	
200	90	FS14M20090	
200	100	FS14M200100	
Spec. HW		FS14M99*	
Spec. HS		FS14S99*	






Izvedba glodala u brzoreznom čeliku (HS) ili tvrdom metalu (HW).

Izrada profila prema nacrtu ili uzorku.




HW Z6

HS




D	S	Cod.	Cijena
120	20	FS16M12020	
120	25	FS16M12025	
120	30	FS16M12030	
120	35	FS16M12035	
120	40	FS16M12040	
120	50	FS16M12050	
120	60	FS16M12060	
120	70	FS16M12070	
120	80	FS16M12080	
120	90	FS16M12090	
120	100	FS16M120100	
160	20	FS16M16020	
160	25	FS16M16025	
160	30	FS16M16030	
160	35	FS16M16035	
160	40	FS16M16040	
160	50	FS16M16050	
160	60	FS16M16060	
160	70	FS16M16070	
160	80	FS16M16080	
160	90	FS16M16090	
160	100	FS16M160100	
200	20	FS16M20020	
200	25	FS16M20025	
200	30	FS16M20030	
200	35	FS16M20035	
200	40	FS16M20040	
200	50	FS16M20050	
200	60	FS16M20060	
200	70	FS16M20070	
200	80	FS16M20080	
200	90	FS16M20090	
200	100	FS16M200100	
Spec. HW		FS16M99*	
Spec. HS		FS16S99*	






Izvedba glodala u brzoreznom čeliku (HS) ili tvrdom metalu (HW).


Izrada profila prema nacrtu ili uzorku.



HW Z3
HS




D	S	Cod.	Cijena
120	20	FS23M12020	
120	25	FS23M12025	
120	30	FS23M12030	
120	35	FS23M12035	
120	40	FS23M12040	
120	50	FS23M12050	
120	60	FS23M12060	
120	70	FS23M12070	
120	80	FS23M12080	
120	90	FS23M12090	
120	100	FS23M120100	
160	20	FS23M16020	
160	25	FS23M16025	
160	30	FS23M16030	
160	35	FS23M16035	
160	40	FS23M16040	
160	50	FS23M16050	
160	60	FS23M16060	
160	70	FS23M16070	
160	80	FS23M16080	
160	90	FS23M16090	
160	100	FS23M160100	
200	20	FS23M20020	
200	25	FS23M20025	
200	30	FS23M20030	
200	35	FS23M20035	
200	40	FS23M20040	
200	50	FS23M20050	
200	60	FS23M20060	
200	70	FS23M20070	
200	80	FS23M20080	
200	90	FS23M20090	
200	100	FS23M200100	
Spec. HW		FS23M99*	
Spec. HS		FS23S99*	






Izvedba glodala u brzoreznom čeliku (HS) ili tvrdom metalu (HW).


Izrada profila prema nacrtu ili uzorku.



HW Z4
HS




D	S	Cod.	Cijena
120	20	FS24M12020	
120	25	FS24M12025	
120	30	FS24M12030	
120	35	FS24M12035	
120	40	FS24M12040	
120	50	FS24M12050	
120	60	FS24M12060	
120	70	FS24M12070	
120	80	FS24M12080	
120	90	FS24M12090	
120	100	FS24M120100	
160	20	FS24M16020	
160	25	FS24M16025	
160	30	FS24M16030	
160	35	FS24M16035	
160	40	FS24M16040	
160	50	FS24M16050	
160	60	FS24M16060	
160	70	FS24M16070	
160	80	FS24M16080	
160	90	FS24M16090	
160	100	FS24M160100	
200	20	FS24M20020	
200	25	FS24M20025	
200	30	FS24M20030	
200	35	FS24M20035	
200	40	FS24M20040	
200	50	FS24M20050	
200	60	FS24M20060	
200	70	FS24M20070	
200	80	FS24M20080	
200	90	FS24M20090	
200	100	FS24M200100	
Spec. HW		FS24M99*	
Spec. HS		FS24S99*	






Izvedba glodala u brzoreznom čeliku (HS) ili tvrdom metalu (HW).


Izrada profila prema nacrtu ili uzorku.



HW Z6
HS




D	S	Cod.	Cijena
120	20	FS26M12020	
120	25	FS26M12025	
120	30	FS26M12030	
120	35	FS26M12035	
120	40	FS26M12040	
120	50	FS26M12050	
120	60	FS26M12060	
120	70	FS26M12070	
120	80	FS26M12080	
120	90	FS26M12090	
120	100	FS26M120100	
160	20	FS26M16020	
160	25	FS26M16025	
160	30	FS26M16030	
160	35	FS26M16035	
160	40	FS26M16040	
160	50	FS26M16050	
160	60	FS26M16060	
160	70	FS26M16070	
160	80	FS26M16080	
160	90	FS26M16090	
160	100	FS26M160100	
200	20	FS26M20020	
200	25	FS26M20025	
200	30	FS26M20030	
200	35	FS26M20035	
200	40	FS26M20040	
200	50	FS26M20050	
200	60	FS26M20060	
200	70	FS26M20070	
200	80	FS26M20080	
200	90	FS26M20090	
200	100	FS26M200100	
Spec. HW		FS26M99*	
Spec. HS		FS26S99*	






Izvedba glodala u brzoreznom čeliku (HS) ili tvrdom metalu (HW).

Izrada profila prema nacrtu ili uzorku.




HW Z3

HS




D	S	Cod.	Cijena
120	20	FS33M12020	
120	25	FS33M12025	
120	30	FS33M12030	
120	35	FS33M12035	
120	40	FS33M12040	
120	50	FS33M12050	
120	60	FS33M12060	
120	70	FS33M12070	
120	80	FS33M12080	
120	90	FS33M12090	
120	100	FS33M120100	
160	20	FS33M16020	
160	25	FS33M16025	
160	30	FS33M16030	
160	35	FS33M16035	
160	40	FS33M16040	
160	50	FS33M16050	
160	60	FS33M16060	
160	70	FS33M16070	
160	80	FS33M16080	
160	90	FS33M16090	
160	100	FS33M160100	
200	20	FS33M20020	
200	25	FS33M20025	
200	30	FS33M20030	
200	35	FS33M20035	
200	40	FS33M20040	
200	50	FS33M20050	
200	60	FS33M20060	
200	70	FS33M20070	
200	80	FS33M20080	
200	90	FS33M20090	
200	100	FS33M200100	
Spec. HW		FS33M99*	
Spec. HS		FS33S99*	






Izvedba glodala u brzoreznom čeliku (HS) ili tvrdom metalu (HW).

Izrada profila prema nacrtu ili uzorku.





HW Z4

HS



D	S	Cod.	Cijena
120	20	FS34M12020	
120	25	FS34M12025	
120	30	FS34M12030	
120	35	FS34M12035	
120	40	FS34M12040	
120	50	FS34M12050	
120	60	FS34M12060	
120	70	FS34M12070	
120	80	FS34M12080	
120	90	FS34M12090	
120	100	FS34M120100	
160	20	FS34M16020	
160	25	FS34M16025	
160	30	FS34M16030	
160	35	FS34M16035	
160	40	FS34M16040	
160	50	FS34M16050	
160	60	FS34M16060	
160	70	FS34M16070	
160	80	FS34M16080	
160	90	FS34M16090	
160	100	FS34M160100	
200	20	FS34M20020	
200	25	FS34M20025	
200	30	FS34M20030	
200	35	FS34M20035	
200	40	FS34M20040	
200	50	FS34M20050	
200	60	FS34M20060	
200	70	FS34M20070	
200	80	FS34M20080	
200	90	FS34M20090	
200	100	FS34M200100	
Spec. HW		FS34M99*	
Spec. HS		FS34S99*	







Izvedba glodala u brzoreznom čeliku (HS) ili tvrdom metalu (HW).

Izrada profila prema nacrtu ili uzorku.

HW Z6
HS




D	S	Cod.	Cijena
120	20	FS36M12020	
120	25	FS36M12025	
120	30	FS36M12030	
120	35	FS36M12035	
120	40	FS36M12040	
120	50	FS36M12050	
120	60	FS36M12060	
120	70	FS36M12070	
120	80	FS36M12080	
120	90	FS36M12090	
120	100	FS36M120100	
160	20	FS36M16020	
160	25	FS36M16025	
160	30	FS36M16030	
160	35	FS36M16035	
160	40	FS36M16040	
160	50	FS36M16050	
160	60	FS36M16060	
160	70	FS36M16070	
160	80	FS36M16080	
160	90	FS36M16090	
160	100	FS36M160100	
200	20	FS36M20020	
200	25	FS36M20025	
200	30	FS36M20030	
200	35	FS36M20035	
200	40	FS36M20040	
200	50	FS36M20050	
200	60	FS36M20060	
200	70	FS36M20070	
200	80	FS36M20080	
200	90	FS36M20090	
200	100	FS36M200100	
Spec. HW		FS36M99*	
Spec. HS		FS36S99*	






Izvedba glodala u brzoreznom čeliku (HS) ili tvrdom metalu (HW).




HW Z4

HS




D	S	Cod.	Cijena
120	4	F1004M1204	
120	6	F1004M1206	
120	8	F1004M1208	
120	10	F1004M12010	
120	12	F1004M12012	
120	14	F1004M12014	
140	4	F1004M1404	
140	6	F1004M1406	
140	8	F1004M1408	
140	10	F1004M14010	
140	12	F1004M14012	
140	14	F1004M14014	
160	4	F1004M1604	
160	6	F1004M1606	
160	8	F1004M1608	
160	10	F1004M16010	
160	12	F1004M16012	
160	14	F1004M16014	
Spec. HW		F1004M99*	
Spec. HS		F1004S99*	







Izvedba glodala u brzoreznom čeliku (HS) ili tvrdom metalu (HW).




HW	Z6
HS	



D	S	Cod.	Cijena
120	4	F100M12046	
120	6	F100M12066	
120	8	F100M12086	
120	10	F100M120106	
120	12	F100M120126	
120	14	F100M120146	
140	4	F100M14046	
140	6	F100M14066	
140	8	F100M14086	
140	10	F100M140106	
140	12	F100M140126	
140	14	F100M140146	
160	4	F100M16046	
160	6	F100M16066	
160	8	F100M16086	
160	10	F100M160106	
160	12	F100M160126	
160	14	F100M160146	
Spec. HW		F1006M99*	
Spec. HS		F1006S99*	




Izvedba glodala u brzoreznom čeliku (HS) ili tvrdom metalu (HW).





HW Z12

HS



D	S	Cod.	Cijena
140	4	F100M140412	
140	6	F100M140612	
140	8	F100M140812	
140	10	F100M1401012	
140	12	F100M1401212	
140	14	F100M1401412	
160	4	F100M160412	
160	6	F100M160612	
160	8	F100M160812	
160	10	F100M1601012	
160	12	F100M1601212	
160	14	F100M1601412	
200	4	F100M200412	
200	6	F100M200612	
200	8	F100M200812	
200	10	F100M2001012	
200	12	F100M2001212	
200	14	F100M2001412	
Spec. HW		F10012M99*	
Spec. HS		F10012S99*	







Izvedba glodala u brzoreznom čeliku (HS) ili tvrdom metalu (HW).

HW Z4 V4


HS




D	S	Cod.	Cijena
120	4	F110M1204	
120	5	F110M1205	
120	6	F110M1206	
120	8	F110M1208	
120	10	F110M12010	
120	12	F110M12012	
120	14	F110M12014	
140	4	F110M1404	
140	5	F110M1405	
140	6	F110M1406	
140	8	F110M1408	
140	10	F110M14010	
140	12	F110M14012	
140	14	F110M14014	
160	4	F110M1604	
160	5	F110M1605	
160	6	F110M1606	
160	8	F110M16010	
160	10	F110M16010	
160	12	F110M16012	
160	14	F110M16014	
200	4	F110M2004	
200	5	F110M2005	
200	6	F110M2006	
200	8	F110M2008	
200	10	F110M20010	
200	12	F110M20012	
200	14	F110M20014	
Spec. HW		F1104M99*	
Spec. HS		F1104S99*	



Izvedba glodala u tvrdom metalu (HW).




HW Z4 V4



D	S	Cod.	Cijena
150	4 ÷ 7,5	F120M4/75	
150	7,5 ÷ 14,5	F120M75/145	
150	10 ÷ 19	F120M10/19	
Spec. HW		F120M99*	
Spec. HS		F120S99*	


Distantni prsteni

S	Cod.	Cijena
4 ÷ 7,5	F1204/75	
7,5 ÷ 14,5	F12075/145	
10 ÷ 19	F12010/19	







Izvedba glodala u tvrdom metalu (HW).




HW Z4 V4

D	S	Cod.	Cijena
150	4 ÷ 7,5	F130M4/75	
150	7,5 ÷ 14,5	F130M75/145	
150	10 ÷ 19	F130M10/19	
Spec. HW		F130M99*	
Spec. HS		F130S99*	





Izvedba glodala u tvrdom metalu (HW).







HW Z4+4 V4

D	S	Cod.	Cijena
150	7,5÷28	F140M475/28	
Spec. HW		F140M99*	
Spec. HS		F140S99*	

Distantni prsteni

S	Cod.	Cijena
15÷28	F14015/28	









Izvedba glodala u brzoreznom čeliku (HS) ili tvrdom metalu (HW).
Prilikom narudžbe potrebno je navesti koju izvedbu alata želite (A, B, C, D).

Model A je standardna izvedba.


HW Z4

HS




MOD. A

D	S	Cod.	Cijena
120	20	F1604M12020	
120	25	F1604M12025	
120	30	F1604M12030	
120	35	F1604M12035	
120	40	F1604M12040	
120	50	F1604M12050	
120	60	F1604M12060	
120	70	F1604M12070	
120	80	F1604M12080	
160	20	F1604M16020	
160	25	F1604M16025	
160	30	F1604M16030	
160	35	F1604M16035	
160	40	F1604M16040	
160	50	F1604M16050	
160	60	F1604M16060	
160	70	F1604M16070	
160	80	F1604M16080	
200	20	F1604M20020	
200	25	F1604M20025	
200	30	F1604M20030	
200	35	F1604M20035	
200	40	F1604M20040	
200	50	F1604M20050	
200	60	F1604M20060	
200	70	F1604M20070	
200	80	F1604M20080	
Spec. HW		F1604M99*	
Spec. HS		F1604S99*	






Izvedba glodala u brzoreznom čeliku (HS) ili tvrdom metalu (HW).
Prilikom narudžbe potrebno je navesti koju izvedbu alata želite (A ili B).





HW Z3 V3

HS



D	S	Cod.	Cijena
120	15	F1803M12015	
120	20	F1803M12020	
120	25	F1803M12025	
120	30	F1803M12030	
120	35	F1803M12035	
120	40	F1803M12040	
120	50	F1803M12050	
120	60	F1803M12060	
120	70	F1803M12070	
120	80	F1803M12080	
160	15	F1803M16015	
160	20	F1803M16020	
160	25	F1803M16025	
160	30	F1803M16030	
160	35	F1803M16035	
160	40	F1803M16040	
160	50	F1803M16050	
160	60	F1803M16060	
160	70	F1803M16070	
160	80	F1803M16080	
200	15	F1803M20015	
200	20	F1803M20020	
200	25	F1803M20025	
200	30	F1803M20030	
200	35	F1803M20035	
200	40	F1803M20040	
200	50	F1803M20050	
200	60	F1803M20060	
200	70	F1803M20070	
200	80	F1803M20080	
Spec. HW		F1803M99*	
Spec. HS		F1803S99*	







Izvedba glodala u brzoreznom čeliku (HS) ili tvrdom metalu (HW).


HW Z4 V4

HS




D	S	Cod.	Cijena
120	20	F1904M12020	
120	25	F1904M12025	
120	30	F1904M12030	
120	35	F1904M12035	
120	40	F1904M12040	
120	50	F1904M12050	
120	60	F1904M12060	
120	70	F1904M12070	
120	80	F1904M12080	
160	20	F1904M16020	
160	25	F1904M16025	
160	30	F1904M16030	
160	35	F1904M16035	
160	40	F1904M16040	
160	50	F1904M16050	
160	60	F1904M16060	
160	70	F1904M16070	
160	80	F1904M16080	
200	20	F1904M20020	
200	25	F1904M20025	
200	30	F1904M20030	
200	35	F1904M20035	
200	40	F1904M20040	
200	50	F1904M20050	
200	60	F1904M20060	
200	70	F1904M20070	
200	80	F1904M20080	
Spec. HW		F1904M99*	
Spec. HS		F1904S99*	







Izvedba glodala u tvrdom metalu (HW).
Koristi se za ravnanje i kopirno glodanje.

HW




D	S	Podjela	Cod.	Cijena
120	60	6	F20012066	
120	80	6	F20012086	
120	100	6	F200120106	
120	120	6	F200120126	
120	140	6	F200120146	
120	160	6	F200120166	
120	180	6	F200120186	
140	60	6	F20014066	
140	80	6	F20014086	
140	100	6	F200140106	
140	120	6	F200140126	
140	140	6	F200140146	
140	160	6	F200140166	
140	180	6	F200140186	
120	60	8	F20012068	
120	80	8	F20012088	
120	100	8	F200120108	
120	120	8	F200120128	
120	140	8	F200120148	
120	160	8	F200120168	
120	180	8	F200120188	
140	60	8	F20014068	
140	80	8	F20014088	
140	100	8	F200140108	
140	120	8	F200140128	
140	140	8	F200140148	
140	160	8	F200140168	
140	180	8	F200140188	
120	60	10	F200120610	
120	80	10	F200120810	
120	100	10	F2001201010	
120	120	10	F2001201210	
120	140	10	F2001201410	
120	160	10	F2001201610	
120	180	10	F2001201810	
140	60	10	F200140610	
140	80	10	F200140810	
140	100	10	F2001401010	
140	120	10	F2001401210	
140	140	10	F2001401410	
140	160	10	F2001401610	
140	180	10	F2001401810	







Izvedba glodala u tvrdom metalu (HW).
Koristi se za ravnanje i kopirno glodanje.

HW




D	S	Podjela	Cod.	Cijena
120	60	12	F200120612	
120	80	12	F200120812	
120	100	12	F2001201012	
120	120	12	F2001201212	
120	140	12	F2001201412	
120	160	12	F2001201612	
120	180	12	F2001201812	
140	60	12	F200140612	
140	80	12	F200140812	
140	100	12	F2001401012	
140	120	12	F2001401212	
140	140	12	F2001401412	
140	160	12	F2001401612	
140	180	12	F2001401812	
120	60	16	F200120616	
120	80	16	F200120816	
120	100	16	F2001201016	
120	120	16	F2001201216	
120	140	16	F2001201416	
120	160	10	F2001201616	
120	180	16	F2001201816	
140	60	16	F200140616	
140	80	16	F200140816	
140	100	16	F2001401016	
140	120	16	F2001401216	
140	140	16	F2001401416	
140	160	16	F2001401616	
140	180	16	F2001401816	
Spec.			F200M99*	






Kut profila alata može biti između 1° - 45° .
Izvedba glodala u brzoreznom čeliku (HS) ili tvrdom metalu (HW).
Prilikom narudžbe potrebno je navesti koju izvedbu alata želite (A ili B).

HW Z4
HS




D	S	β max	Cod.	Cijena
120	20	45°	F2104M12020	
120	25	38°	F2104M12025	
120	30	33°	F2104M12030	
120	35	29°	F2104M12035	
120	40	26°	F2104M12040	
120	50	21°	F2104M12050	
160	20	45°	F2104M16020	
160	25	45°	F2104M16025	
160	30	45°	F2104M16030	
160	35	45°	F2104M16035	
160	40	41°	F2104M16040	
160	50	35°	F2104M16050	
160	60	30°	F2104M16060	
160	70	26°	F2104M16070	
200	20	45°	F2104M20020	
200	25	45°	F2104M20025	
200	30	45°	F2104M20030	
200	35	45°	F2104M20035	
200	40	45°	F2104M20040	
200	50	45°	F2104M20050	
200	60	39°	F2104M20060	
200	70	35°	F2104M20070	
200	80	32°	F2104M20080	
Spec. HW			F2104M99*	
Spec. HS			F2104S99*	







Izvedba glodala u brzoreznom čeliku (HS) ili tvrdom metalu (HW).
Prilikom narudžbe potrebno je navesti koju izvedbu alata želite (A ili B).




HW Z4

HS



D	R	Cod.	Cijena
120	5	F2304M1205	
120	10	F2304M12010	
120	15	F2304M12015	
120	20	F2304M12020	
140	5	F2304M1405	
140	10	F2304M14010	
140	15	F2304M14015	
140	20	F2304M14020	
140	25	F2304M14025	
160	5	F2304M1605	
160	10	F2304M16010	
160	15	F2304M16015	
160	20	F2304M16020	
160	25	F2304M16025	
160	30	F2304M16030	
Spec. HW		F2304M99*	
Spec. HS		F2304S99*	



Izvedba glodala u tvrdom metalu (HW).




D	S	Z	Cod.	Cijena
140	25	3	V135M14025	
160	40	3	V135M16040	
Spec.			V135M99*	



HW

Z3

1




2







Izvedba glodala u brzoreznom čeliku (HS) ili tvrdom metalu (HW).



HW Z4


HS

D	R	Cod.	Cijena
120	5	F2404M1205	
120	10	F2404M12010	
120	15	F2404M12015	
120	20	F2404M12020	
140	5	F2404M1405	
140	10	F2404M14010	
140	15	F2404M14015	
140	20	F2404M14020	
140	25	F2404M14025	
160	5	F2404M1605	
160	10	F2404M16010	
160	15	F2404M16015	
160	20	F2404M16020	
160	25	F2404M16025	
160	30	F2404M16030	
Spec. HW		F2404M99*	
Spec. HS		F2404S99*	







Izvedba glodala u brzoreznom čeliku (HS) ili tvrdom metalu (HW).




D	R	Cod.	Cijena
120	5	F2604M1205	
120	10	F2604M12010	
120	15	F2604M12015	
120	20	F2604M12020	
140	5	F2604M1405	
140	10	F2604M14010	
140	15	F2604M14015	
140	20	F2604M14020	
140	25	F2604M14025	
160	5	F2604M1605	
160	10	F2604M16010	
160	15	F2604M16015	
160	20	F2604M16020	
160	25	F2604M16025	
160	30	F2604M16030	
Spec. HW		F2604M99*	
Spec. HS		F2604S99*	








Izvedba glodala u brzoreznom čeliku (HS) ili tvrdom metalu (HW).
Prilikom narudžbe potrebno je navesti koju izvedbu alata želite (A ili B).




HW	Z4
HS	


D	R	Cod.	Cijena
120	5	F2504M1205	
120	10	F2504M12010	
120	15	F2504M12015	
120	20	F2504M12020	
140	5	F2504M1405	
140	10	F2504M14010	
140	15	F2504M14015	
140	20	F2504M14020	
140	25	F2504M14025	
160	5	F2504M1605	
160	10	F2504M16010	
160	15	F2504M16015	
160	20	F2504M16020	
160	25	F2504M16025	
160	30	F2504M16030	
Spec. HW		F2504M99*	
Spec. HS		F2504S99*	




Izvedba glodala u tvrdom metalu (HW).



D	S	Z	Cod.	Cijena
140	28	4	V117M14028	
Spec.			V117M99*	




HW Z4




6

GLODALA












Izvedba glodala u brzoreznom čeliku (HS) ili tvrdom metalu (HW).



HW	Z3+3+3
HS	

D	S1	Cod.	Cijena
140	10-55	F265M14050	
Spec. HW		F265M99*	
Spec. HS		F265S99*	






Izvedba glodala u brzoreznom čeliku (HS) ili tvrdom metalu (HW).

HW Z3

HS



D	S	d	b	c	Broj štapova	Cod.	Cijena
120	19	5	1	4	2	F2903M17	
120	21	6	1	4	2	F2903M18	
120	25	8	1	4	2	F2903M20	
120	31	10	1	4	2	F2903M22	
120	35,5	12	1,5	5	2	F2903M24	
120	39,5	14	1,5	5	2	F2903M26	
140	43,5	16	1,5	5	2	F2903M28	
140	47,5	18	1,5	5	2	F2903M30	
140	52	20	1,5	5	2	F2903M32	
120	25	5	1	4	3	F2903M33	
120	28	6	1	4	3	F2903M34	
120	34	8	1	4	3	F2903M36	
120	42	10	1	4	3	F2903M38	
120	49	12	1,5	5	3	F2903M40	
120	55	14	1,5	5	3	F2903M42	
140	61	16	1,5	5	3	F2903M44	
140	67	18	1,5	5	3	F2903M46	
140	74	20	2	5	3	F2903M48	
120	31	5	1	4	4	F2903M49	
120	35	6	1	4	4	F2903M50	
120	43	8	1	4	4	F2903M52	
120	53	10	1	5	4	F2903M54	
120	62,5	12	1,5	5	4	F2903M56	
120	70,5	14	1,5	5	4	F2903M58	
140	78,5	16	1,5	5	4	F2903M60	
140	86,5	18	1,5	5	4	F2903M62	
140	96	20	2	5	4	F2903M64	
120	37	5	1	4	5	F2903M65	
120	42	6	1	4	5	F2903M66	
120	52	8	1	4	5	F2903M68	
120	64	10	1	5	5	F2903M70	
120	76	12	1,5	5	5	F2903M72	
120	86	14	1,5	5	5	F2903M74	
140	96	16	1,5	5	5	F2903M76	
140	106	18	1,5	5	5	F2903M78	
140	118	20	2	5	5	F2903M80	
120	43	5	1	4	6	F2903M81	
120	49	6	1	4	6	F2903M82	
120	61	8	1	4	6	F2903M84	
120	75	10	1	5	6	F2903M86	
120	89,5	12	1,5	5	6	F2903M88	
120	101,5	14	1,5	5	6	F2903M90	
140	113,5	16	1,5	5	6	F2903M92	
140	125,5	18	1,5	5	6	F2903M94	
140	140	20	2	5	6	F2903M96	





Izvedba glodala u brzoreznom čeliku (HS) ili tvrdom metalu (HW).

HW	Z3
HS	



D	S	d	b	c	Broj štapova	Cod.	Cijena
120	49	5	1	4	7	F2903M97	
120	56	6	1	4	7	F2903M98	
120	70	8	1	4	7	F2903M100	
120	86	10	1	5	7	F2903M102	
120	103	12	1,5	5	7	F2903M104	
120	117	14	1,5	5	7	F2903M106	
140	131	16	1,5	5	7	F2903M108	
140	145	18	1,5	5	7	F2903M110	
120	55	5	1	4	8	F2903M111	
120	63	6	1	4	8	F2903M112	
120	79	8	1	4	8	F2903M114	
120	97	10	1	5	8	F2903M116	
120	116,5	12	1,5	5	8	F2903M118	
120	132,5	14	1,5	5	8	F2903M120	
140	148,5	16	1,5	5	8	F2903M122	
Spec. HW						F2903M99*	
Spec. HS						F2903S99*	






Izvedba glodala u brzoreznom čeliku (HS) ili tvrdom metalu (HW).


Glodalo za izradu štapova sa sitnim utorima po dužini. Odrežani na određenu dužinu koriste se za spajanje elemenata kao „tipli“.


HW Z3

HS



D	S	d	b	c	Broj štapova	Cod.	Cijena
120	19,4	5,2	1	4	2	F2923M17	
120	21,4	6,2	1	4	2	F2923M18	
120	25,4	8,2	1	4	2	F2923M20	
120	31,4	10,2	1	5	2	F2923M22	
120	35,9	12,2	1,5	5	2	F2923M24	
120	39,9	14,2	1,5	5	2	F2923M26	
120	25,6	5,2	1	4	3	F2923M33	
120	28,6	6,2	1	4	3	F2923M34	
120	34,6	8,2	1	4	3	F2923M36	
120	42,6	10,2	1	4	3	F2923M38	
120	49,6	12,2	1,5	5	3	F2923M40	
120	55,6	14,2	1,5	5	3	F2923M42	
120	31,8	5,2	1	4	4	F2923M49	
120	35,8	6,2	1	4	4	F2923M50	
120	43,8	8,2	1	4	4	F2923M52	
120	53,8	10,2	1	5	4	F2923M54	
120	63,3	12,2	1,5	5	4	F2923M56	
120	71,3	14,2	1,5	5	4	F2923M58	
120	38	5,2	1	4	5	F2923M65	
120	43	6,2	1	4	5	F2923M66	
120	53	8,2	1	4	5	F2923M68	
120	65	10,2	1	5	5	F2923M70	
120	77	12,2	1,5	5	5	F2923M72	
120	87	14,2	1,5	5	5	F2923M74	





Izvedba glodala u brzoreznom čeliku (HS) ili tvrdom metalu (HW).


Glodalo za izradu štapova sa sitnim utorima po dužini. Odrezani na određenu dužinu koriste se za spajanje elemenata kao „tiple“.

HW Z3

HS




D	S	d	b	c	Broj štapova	Cod.	Cijena
120	44,2	5,2	1	4	6	F2923M81	
120	50,2	6,2	1	4	6	F2923M82	
120	62,2	8,2	1	4	6	F2923M84	
120	76,2	10,2	1	5	6	F2923M86	
120	90,7	12,2	1,5	5	6	F2923M88	
120	102,7	14,2	1,5	5	6	F2923M90	
120	50,4	5,2	1	4	7	F2923M97	
120	57,4	6,2	1	4	7	F2923M98	
120	71,4	8,2	1	4	7	F2923M100	
120	87,4	10,2	1	5	7	F2923M102	
120	104,4	12,2	1,5	5	7	F2923M104	
120	118,4	14,2	1,5	5	7	F2923M106	
120	56,6	5,2	1	4	8	F2923M111	
120	64,6	6,2	1	4	8	F2923M112	
120	80,6	8,2	1	4	8	F2923M114	
120	102,1	10,2	1,5	5	8	F2923M116	
120	118,1	12,2	1,5	5	8	F2923M118	
120	134,1	14,2	1,5	5	8	F2923M120	
Spec. HW						F2923M99*	
Spec. HS						F2923S99*	
















Izvedba glodala u brzoreznom čeliku (HS) ili tvrdom metalu (HW).



HW	Z4
HS	

D	S	Profil	Cod. HW	Cijena
140	40	A	F3004MA40	
140	50	B	F3004MB50	
140	60	C	F3004MC60	
140	40	D	F3004MD40	
140	50	E	F3004ME50	
140	60	F	F3004MF60	
140	40	G	F3004MG40	
140	50	H	F3004MH50	
140	60	I	F3004MI60	
Spec. HW			F3004M99*	
Spec. HS			F3004S99*	










Izvedba glodala u tvrdom metalu (HW).


HW Z2+2

D	S min	S max	Profil	Cod.	Cijena
140	20	60	A	F3014MA60	
140	16	60	B	F3014MB60	
Spec. HW				F3014M99*	
Spec. HS				F3014S99*	








Izvedba glodala u tvrdom metalu (HW).



D	S	Cod.	Cijena
140	50	F304M14050	
140	85	F304M14085	
Spec.		F30499*	




V112-A1

Glodalo za spoj




Izvedba glodala u tvrdom metalu (HW).




HW Z2

Profil A1




D	S	Cod.	Cijena
120	50	V112M12050A1	
Spec.		V112A1M99*	




V112-A2

Glodalo za spoj




Izvedba glodala u tvrdom metalu (HW).





HW Z2

Profil A2








D	S	Cod.	Cijena
120	50	V112M12050A2	
Spec.		V112A2M99*	






Izvedba glodala u tvrdom metalu (HW).

D	S	Profil	Cod.	Cijena
140	80	A	F3053MA14012	
140	80	B	F3053MB14010	
Spec.			F3053M99*	







Izvedba glodala u brzoreznom čeliku (HS).




HS

D	S	Z	Profil	Cod.	Cijena
160	26	2+2	A	F3064S1604/4	
160	28,6	2+2	B	F3064S16010/10	
160	28,6	2+2	B	F3064S16010/11	
250	28,6	3+3	B	F3066S25010/10	
250	28,6	3+3	B	F3066S25010/11	
170	28,6	2+2	C	F3064S17015/15	
170	28,6	2+2	C	F3064S17015/165	
260	28,6	3+3	C	F3066S26015/15	
260	28,6	3+3	C	F3066S26015/165	
180	33	2+2	D	F3064S18020/20	
180	33	2+2	D	F3064S18020/22	
260	33	3+3	D	F3066S26020/22	
Spec.				F306S99*	

Profil	L	SP	Broj „zubaca“
A	4	25	1
A	4	49	2
A	4	73	3
A	4	97	4
A	4	121	5
B	10	24	1
B	10	51	2
B	10	77	3
B	10	104	4
B	10	131	5
B	10	157	6
B	10	184	7
B	10	210	8
B	10	237	9
B	10	264	10








Izvedba glodala u brzoreznom čeliku (HS).



HS

Profil	L	SP	Broj „zubaca“
C	15	24	1
C	15	51	2
C	15	77	3
C	15	104	4
C	15	131	5
C	15	157	6
C	15	184	7
C	15	210	8
C	15	234	9
C	15	264	10

Profil	L	SP	Broj „zubaca“
D	20	28	1
D	20	59	2
D	20	90	3
D	20	121	4
D	20	152	5
D	20	183	6
D	20	214	7
D	20	245	8
D	20	276	9
D	20	307	10







Glodalo za produženi čelni spoj s ili bez ravnih bočnih glodala. Dužina zubaca 10/11. Izvedba glodala u tvrdom metalu (HW). Upotrebljava se za spajanje mekog ili tvrdog drva u građevinskoj stolariji, izradi podova, letvica i ploča. Koristi se na specijalnim linijskim strojevima (Omga, Grecon Dimter).

D	S	d	t	Z	Cod.	Cijena
160	3,8	70	3,8	4	V306160384	
159,8	15,2	70	3,8	4	V30615981524	
149	11,4	70	3,8	4	V3061491144	
250	3,8	70	3,8	6	V306250386	
249,8	15,2	70	3,8	6	V30624981526	
239	11,4	70	3,8	6	V3062392391146	
Spec.					V306S99*	


HW






Glodalo za produženi čelni spoj s ili bez ravnih bočnih glodala. Dužina zubaca 10/11. Izvedba glodala u tvrdom metalu (HW). Upotrebljava se za spajanje mekog ili tvrdog drva u građevinskoj stolariji, izradi podova, letvica i ploča. Koristi se na specijalnim linijskim strojevima (Omga, Grecon Dimter).

HW







Izvedba glodala u tvrdom metalu (HW).




HW

D	S	Z	V	Cod.	Cijena
140	15	4	4	V112K1M1401544	
140	15	3	3	V112K1M1401533	
Spec.				V112K1M99*	












Izvedba glodala u tvrdom metalu (HW).
Prilikom narudžbe potrebno je navesti koju izvedbu alata želite (A ili B).



D	S	Z	Profil	Cod.	Cijena
160	35	3+3	A	F310MA160	
180	35	3+3	A	F310MA180	
160	35	3+3	B	F310MB160	
180	35	3+3	B	F310MB180	
Spec.				F310M99*	






Izvedba glodala u brzoreznom čeliku (HS) ili tvrdom metalu (HW).
Prilikom narudžbe potrebno je navesti koju izvedbu želite (A ili B).

HW


Z4

HS

D	S	S max	Profil	Cod.	Cijena
160	4-7,5	20	P	F3304M160	
160	4-7	27	P1	V3304M160	
160	8-15	50	P2	V3308M160	
Spec. HW				F3304M99*	
Spec. HS				F3304S99*	



Izvedba






HW Z4

HS


Izvedba glodala u brzoreznom čeliku (HS) ili tvrdom metalu (HW).
Prilikom narudžbe potrebno je navesti koju izvedbu (A ili B) i koji
profil alata želite (1 ili 2).

D	S	S max	Cod.	Cijena
160	4-7,5	20	F3404M160	
160	6-11	30	F3404M160*	
Spec. HW			F3404M99*	
Spec. HS			F3404S99*	


Profil 1



Profil 2



Izvedba









Izvedba glodala u brzoreznom čeliku (HS) ili tvrdom metalu (HW).
Prilikom narudžbe potrebno je navesti koju izvedbu (A ili B) i koji
profil alata želite (1 ili 2).

HW	Z4
HS	


D	S	S max	Cod.	Cijena
160	4-7,5	20	F3504M160	
160	6-11	30	F3504M160*	
Spec. HW			F3504M99*	
Spec. HS			F3504S99*	



Izvedba




Izvedba glodala u brzoreznom čeliku (HS) ili tvrdom metalu (HW).



Profil	D	S	Z	Cod.	Cijena
1	140	40	3	V118M14040	
2	140	32	3	V118M14032	
3	140	32	3	V118M14032	
4	140	10	3	V118M14010	
5	120	32	3	V118M12032	
6	140	15	3	V118M14015	
7	117	30	3	V118M11730	
Spec.				V118M99*	

HW Z3

HS







Izvedba glodala u brzoreznom čeliku (HS) ili tvrdom metalu (HW).

HW Z3

HS

Profil	D	S	Z	Cod.	Cijena
1	140	25	3	V127M14025	
2	140	80	3	V127M14080	
3	160	20	3	V127M16020	
Spec.				V127M99*	





Izvedba glodala u brzoreznom čeliku (HS) ili tvrdom metalu (HW).

Profil	D	S	Z	Cod.	Cijena
A	140	60	3	V113M14060	
B	140	70	3	V113M14070	
C	140	75	3	V113M14075	
Spec.				V113M99*	


HW Z3

HS


Profil A



Profil B



Profil C




Izvedba glodala u tvrdom metalu (HW).





HW Z3

Profil	D	S	Z	Cod.	Cijena
A	140	48,5	3	V119M140485	
B	140	35	3	V119M14035	
Spec.				V119M99*	

Profil A



Profil B








Izvedba glodala u tvrdom metalu (HW).

D	S	Z	Cod.	Cijena
140	40	3	V120M14040	
Spec.			V120M99*	

HW



Z3





Izvedba glodala u tvrdom metalu (HW).


D	S	Z	Cod.	Cijena
140	32	3	V140M14032	
Spec.			V140M99*	



F370




Glodalo za izradu čepova



Izvedba glodala u tvrdom metalu (HW).
Koristi se na strojevima za izradu čepova („čeparice“) BACCI I
BALESTRINI kod proizvodnje stolica, stolova i sl.

HW Z3+3 V6




D	S	S1	F	Cod. L	Cod. R	Cijena
60	65	9,5/30	25	F370M6065TSL	F370M6065TSR	
Spec.				F370M99L *	F370M99R *	

F372




Glodalo za izradu čepova





Izvedba glodala u tvrdom metalu (HW).
Koristi se na strojevima za izradu čepova („čeparice“) BACCI I
BALESTRINI kod proizvodnje stolica, stolova i sl.

HW Z3 V6




D	S	S1	F	Cod. L	Cod. R	Cijena
60	65	12/28	25	F372M6065TSL	F372M6065TSR	
Spec.				F372M99L *	F372M99R *	



F374

Glodalo za izradu čepova



Izvedba glodala u tvrdom metalu (HW).
Koristi se na CNC strojevima kod proizvodnje stolica, stolova i sl.

HW Z3+3 V3

D	S	S1	Cod. L	Cod. R	Cijena
45	30	10-30	F374ML	F374MR	
Spec.			F374M99L*	F374M99R*	


F378

Glodalo za izradu čepova



6


GLODALA




Izvedba glodala u tvrdom metalu (HW).
Koristi se na strojevima za izradu čepova („čeparice“) BACCI I BALESTRINI kod proizvodnje stolica, stolova i sl.

HW Z3+3 V6


D	S	S1	F	Cod. L	Cod. R	Cijena
70	67	9,5-27,5	25	F378M7067TGL	F378M7067TGR	
70	72	9,5-30	25	F378M7072TGL	F378M7072TGR	
Spec.				F378M99L*	F378M99R*	







Izvedba glodala u tvrdom metalu (HW).
Koristi se na strojevima za izradu čepova („čeparice“) kod proizvodnje stolica, stolova i sl.

HW Z3 V3



D	S	S1	F	Cod. L	Cod. R	Cijena
70	65	12/28	25	F382M7065TGL	F382M7065TGR	
70	75	12/33,5	25	F382M7075TGL	F382M7075TGR	
70	90	12/40	25	F382M7090TGL	F382M7090TGR	
Spec.				F382M99L*	F382M99R*	




F400

Glodalo za obradu rubova



Izvedba glodala u tvrdom metalu (HW).



Stroj za obradu rubova HOMAG

D	S	S1	F	Z	Cod. L	Cijena
70	25	10,5	16+2CH	4	F400M7025416	
Spec.					F400M99L*	

Stroj za obradu rubova SCM

D	S	S1	F	Z	Cod. L	Cijena
70	20	11	16+2CH	6	F400M7020616	
80	20	11	16+2CH	6	F400M8020616	
Spec.					F400M99L*	

F410

Glodalo za obradu rubova




6

GLODALA




Izvedba glodala u tvrdom metalu (HW).




Stroj za obradu rubova IMA

D	S	S1	F	Z	Cod. L	Cod. R	Cijena
70	25	12,5	20+2CH	4	F410M7025420L	F410M7025420R	
70	25	12,5	20+2CH	6	F410M7025620L	F410M7025620R	
Spec.					F410M99L*	F410M99R*	





Izvedba glodala u tvrdom metalu (HW).



Stroj za obradu rubova BIESSE

D	S	S1	F	Z	Cod. L	Cod. R	Cijena
70	20	22	20+2CH	4	F420M7020420L	F420M7020420R	
70	20	22	20+2CH	6	F420M7020620L	F420M7020620R	
80	20	22	20+2CH	6	F420M8020620L	F420M8020620R	
Spec.					F420M99L*	F420M99R*	




Stroj za obradu rubova HOMAG i IMA

D	S	F	Z	Cod. L	Cod. R	Cijena
70	25	HSK25	4	F420M70254H25L	F420M70254H25R	
70	35	HSK25	4	F420M70354H25L	F420M70354H25R	
Spec.				F420M99L*	F420M99R*	

Stroj za obradu rubova SCM

D	S	S1	F	Z	Cod. L	Cod. R	Cijena
48	13,6	20	16+2CH	2	F420M4814216L	F420M4814216R	
48	13,6	20	16+2CH	3	F420M4814316L	F420M4814316R	
48,5	25	14	16+2CH	4	F420M4825416L	F420M4825416R	
Spec.					F420M99L*	F420M99R*	

HW




F435

Profilno glodalo za obradu rubova



Izvedba glodala u tvrdom metalu (HW).



Stroj za obradu rubova SCM

D	S	S1	F	Z	B	Cod.	Cijena
64	16	12	16+2CH	4	20°	F435M6416416	
69	16	12	16+2CH	4	45°	F435M6916416	
Spec.						F435M99*	


HW

F480

Glodalo višeradijusno za obradu rubova



Izvedba glodala u tvrdom metalu (HW).




Stroj za obradu rubova BIESSE

D	D1	S	S1	F	Z	Cod. L	Cod. R	Cijena
70	61	23	15	16+2CH	4	F480M7023416L	F480M7023416R	
Spec.						F480M99L*	F480M99R*	

HW

Stroj za obradu rubova SCM

D	D1	S	S1	F	Z	Cod. L	Cod. R	Cijena
77,4	63	20,4	10,8	16+2CH	4	F480M7720416L	F480M7720416R	
Spec.						F480M99L*	F480M99R*	




6

GLODALA






Izvedba glodala u tvrdom metalu (HW).
Koristi se za izradu profila, kontra profila i uklade na vratima namještaja.



HW Z2+2+2+2

D	Cod.	Cijena
180	F218M180	
Spec.	F218M99*	




Izvedba glodala u tvrdom metalu (HW).
Koristi se kod izrade vrata namještaja.



Profil	D	S	Z	Cod.	Cijena
1	140	S	3	V114C1M140033	
2	140	S	3	V114C2M140033	
Spec.				V114CM99*	


V-114-C

HW Z3



Profil	D	S	Z	Cod.	Cijena
1	140	S	3	V114E1M140033	
2	140	S	3	V114E2M140033	
Spec.				V114EM99*	

V-114-E




Izvedba glodala u tvrdom metalu (HW).
Koristi se kod izrade vrata namještaja.




Profil	D	S	Z	Cod.	Cijena
1	140	14	3	V300A1M14014	
2	140	12	3	V300A2M14012	
3	140	12	3+3	V300A3M14012	
Spec.				V300AM99*	

HW Z3+3




profil:



kontra-profil:



profil: poluutor za staklo




Izvedba glodala u tvrdom metalu (HW).
Koristi se kod izrade vrata namještaja.




Profil	D	S	Z	Cod.	Cijena
1	180	15,5	2+2	V302M180155	
2	180	11	4	V302M18011	
Spec.				V302M99*	


HW




Kontra profil





Uklada







Profil - dodatno glodalo




Kontra profil



Izvedba glodala u tvrdom metalu (HW).
Koristi se kod izrade vrata namještaja.





Izvedba glodala u tvrdom metalu (HW) i brzoreznog čelika (HS).
Prilikom narudžbe potrebno je navesti koju izvedbu alata želite.








HW

HS

D	S	Z	Cod.	Cijena
150	B	3	F220M150B3	
160	B	3	F220M160B3	
160	B	4	F220M160B4	
180	B	3	F220M180B3	
180	B	2+2	F220M180B22	
180	B	3+3	F220M180B33	
200	20	3	F220M200203	
200	20	4	F220M200204	
200	20	6	F220M200206	
200	20	3+3	F220M2002033	
200	20	4+4	F220M2002044	
220	B	4	F220M220B4	
220	B	3+3	F220M220B33	
Spec.			F220M99*	


6

GLODALA












R




Izvedba glodala u tvrdom metalu (HW) i brzoreznog čelika (HS).
Prilikom narudžbe potrebno je navesti koju izvedbu alata želite.


HW

HS






Izvedba glodala u tvrdom metalu (HW).
Prilikom narudžbe potrebno je navesti koju izvedbu alata želite
(A ili B).




HW


D	S	Z	Cod.	Cijena
150	B	3	V115M150B3	
160	B	3	V115M160B3	
160	B	4	V115M160B4	
180	B	3	V115M180B3	
180	B	2+2	V115M180B22	
180	B	3+3	V115M180B33	
200	20	3	V115M200203	
200	20	4	V115M200204	
200	20	6	V115M200206	
200	20	3+3	V115M2002033	
200	20	4+4	V115M2002044	
220	B	4	V115M220B4	
220	B	3+3	V115M220B33	
Spec.			V115M99*	



Izvedba glodala u tvrdom metalu (HW).
Prilikom narudžbe potrebno je navesti koju izvedbu alata želite
(A ili B).





D	S	Z	Cod.	Cijena
150	B	3	V115RM150B3	
160	B	3	V115RM160B3	
160	B	4	V115RM160B4	
180	B	3	V115RM180B3	
180	B	2+2	V115RM180B22	
180	B	3+3	V115RM180B33	
200	20	3	V115RM200203	
200	20	4	V115RM200204	
200	20	6	V115RM200206	
200	20	3+3	V115RM2002033	
200	20	4+4	V115RM2002044	
220	B	4	V115RM220B4	
220	B	3+3	V115RM220B33	
Spec.			V115RM99*	



Izvedba glodala u tvrdom metalu (HW).
Koristi se za izradu vrata.


Alat	D	S	Z	Cod.	Cijena
1	155	25	3	V114D41552503G	
2	155	8-10	3+3	V114D41551006	
3	155	25	3	V114D41552503D	

HW



Alat	D	S	Z	Cod.	Cijena
1	170	24	2	V1141331702402G	
2	165	8-15	2+2	V1141331651504	
3	170	24	2	V1141331702402D	
4	300	22	2	V1141333002202G	
5	300	22	2	V1141333002202D	




HW








Alat	D	S	Z	Cod.	Cijena
1	160	24	2	V1141351602402G	
2	147	8-15	2+2	V1141351471504	
3	160	24	2	V1141351602402L	
4	300	24	2	V1141353002402G	
5	300	24	2	V1141353002402D	

HW



Alat	D	S	Z	Cod.	Cijena
1	160	24	2	V114801602402G	
2	147	8-15	2+2	V114801471504	
3	160	24	2	V114801602402D	
4	300	24	2	V114803002402G	
5	300	24	2	V114803002402D	

HW




6

GLODALA





D	S	Z	Cod.	Cijena
160	20	4	V114UG1602004	

HW





operacija 1

operacija 2



operacija 3

operacija 4




Koristi se na stolnim glodalnicama.



Alat	D	S	Z	Cod.	Cijena
1	180	33	3	V2301803303	
2	150	4,5-5,5	4+4	V2301505508	
3	180	19	3+6+3 V3	V2301801915	
4	110	20	3	V2301102003	


HW




Koristi se na stolnim glodalnicama.

HW


1



2




3




Koristi se na stolnim glodalicama.

HW


4/1)



4/2)



5)




Koristi se na stolnim glodalicama.



Alat	D	S	Z	Cod.	Cijena
1	125	85	3	V2311258503	
2	175	50	3	V2311755003	



HW



Koristi se na stolnim glodalicama.



HW




V-133

Glodalo za okov




Izvedba glodala u brzoreznom čeliku (HS) ili tvrdom metalu (HW).



D	S	Z	Cod.	Cijena
140	16,2	3	V133M140162	
Spec.			V133M99*	

HW Z3

HS



V-131

Pločasto glodalo za utore




Izvedba glodala u brzoreznom čeliku (HS) ili tvrdom metalu (HW).


Prilikom narudžbe molimo navesti dimenzije alata koje moraju biti unutar dimenzija prema tablici.

D	S	Z	Cod.	Cijena
240-350	25	3	V131M99*	


izvedba A



izvedba B




izvedba C



HW Z3

HS







HW Z3


HS



Izvedba glodala u brzoreznom čeliku (HS) ili tvrdom metalu (HW).

Prilikom narudžbe molimo navesti dimenzije alata koje moraju biti unutar dimenzija prema tablici.

D	S	Z	Cod.	Cijena
240-350	25	3	V132M99*	









A

doprozornik:
vertikala + horizontala gore




B

doprozornik:
horizontala dolje




C

krilo:
unutarnji profil




D

krilo:
letvica




E


krilo:
vanjski profil




F doprozornik:
vertikala gore




G doprozornik:
vertikala dolje




H doprozornik:
horizontala



J krilo:
čep




K krilo:
utor




L

krilo dvokrilnog prozora:
vanjski profil (kao doprozornik)




M

doprozornik vanjski profil:
horizontala dolje



N

doprozornik vanjski profil:
vertikala + horizontala gore



P

utor za okov

